



Dimovodna cijev duljine 250x1,2 mm clasic  
 Rauchrohr 250x1,2 mm clasic  
 Flue pipe 250x1,2 mm clasic




Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP01-080	351
100	CEP01-100	351

Dimovodna cijev duljine 500x1,2 mm clasic  
 Rauchrohr 500x1,2 mm clasic  
 Flue pipe 500x1,2 mm clasic




Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP02-080	169
100	CEP02-100	169

Dimovodna cijev duljine 1000x1,2 mm clasic  
 Rauchrohr 1000x1,2 mm clasic  
 Flue pipe 1000x1,2 mm clasic




Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP03-080	78
100	CEP03-100	78

Dimovodna cijev duljine 1500x1,2 mm clasic  
 Rauchrohr 1500x1,2 mm clasic  
 Flue pipe 1500x1,2 mm clasic



Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP04-080	54
100	CEP04-100	54


Adapter ravni (proširenje) clasic  
 Adapter gerade (Erweiterung) clasic  
 Adapter upright (Extension) clasic



small diameter female/  
 big diameter male

ØF/ØM [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80/130	CEP13-001	280
80/150	CEP13-002	280
100/130	CEP13-003	280
100/150	CEP13-004	280
80/120	CEP13-005	280

Adapter konusni (proširenje) clasic  
 Adapter konisch (Erweiterung) clasic  
 Adapter conical (Extension) clasic



small diameter female/  
 big diameter male

ØF/ØM [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80/130	CEP14-001	288
80/150	CEP14-002	210(231)
100/120	CEP14-005	280
100/130	CEP14-003	288
100/150	CEP14-004	210(231)
80/100	CEP14-006	280(351)


T600 N1 D Vm L01120 G375 NM / T400 N1 D Vm L01120 O300 M / T200 P1 D Vm L01120 O20 M

Color email

Koljeno dimovodno 45°x1,2 mm clasic

Bogen 45°x1,2 mm clasic

Elbow 45°x1,2 mm clasic




Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP05-080	180
100	CEP05-100	180

Koljeno 45°x1,2 mm s otvorom clasic

Bogen 45°x1,2 mm m.T. clasic

Elbow 45°x1,2 mm with door clasic




Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP16-080	180
100	CEP16-100	180

Koljeno 90°x1,2 mm dvodijelno clasic

Bogen 90°x1,2 mm 2-teilig clasic

Elbow 90°x1,2 mm 2-part clasic




Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP08-080	180
100	CEP08-100	180

Koljeno 90°x1,2 mm dvodijelno s otvorom clasic

Bogen 90°x1,2 mm 2-teilig m.T. clasic

Elbow 90°x1,2 mm 2-part with door clasic




Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP09-080	180
100	CEP09-100	180

Koljeno 90°x1,2 mm trodijelno clasic

Bogen 90°x1,2 mm 3-teilig clasic

Elbow 90°x1,2 mm 3-part clasic




Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP06-080	180
100	CEP06-100	162

Koljeno 90°x1,2 mm trodijelno s otvorom clasic

Bogen 90°x1,2 mm 3-teilig m.T. clasic

Elbow 90°x1,2 mm 3-part with door clasic




Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP07-080	180
100	CEP07-100	162

T400 N1 D Vm L01120 G375 NM / T400 N1 D Vm L01120 O300 M / T200 P1 D Vm L01120 O20 M

Color emajl


T-komad s kondenz. poklopcem 1,2 clasic/estetic  
 T-Stück m. Kondens kapsel 1,2 mm clasic/estetic  
 T-piece with conden. cover 1,2 mm clasic/estetic



Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP10-080	144
100	CEP10-100	135


T-komad 1,2 mm clasic/estetic  
 T-Stück 1,2 mm clasic/estetic  
 T-piece 1,2 mm clasic/estetic

T-komad F/Fx1,2 mm clasic  
 T-Stück F/Fx1,2 mm clasic  
 T-piece F/Fx1,2 mm clasic




Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP15-080	144
100	CEP15-100	135

T-Komad 1,2 s eliptičnim poklopcem clasic  
 T-Stück 1,2 mit eliptisch Deckel clasic  
 T-Piece 1,2 with eliptic cover clasic



Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP17-080	144
100	CEP17-100	135



T-komad F/Fx1,2 s pravokutnim otvorom clasic  
 T-Stück F/Fx1,2 mm mit rechteckig Tür clasic  
 T-piece F/Fx1,2 with rectangular door clasic



Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP38-080	162
100	CEP38-100	162

Rozeta 7cm clasic/estetic  
 Rosette 7cm clasic/estetic  
 Rose cap 7cm clasic/estetic










Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP39-080	162
100	CEP39-100	162



Ø [mm]	Broj artikla Art.Nr. Code
80	CEP32-080
100	CEP32-100

T400 N1 D Vm L01120 G375 NM / T400 N1 D Vm L01120 O300 M / T200 P1 D Vm L01120 O20 M


Color emajl

Rozeta sa F (ženskim) nastavkom classic/estetic Rosette m. integr. F Mauermuffe classic/estetic Rose cap with F wall socket classic/estetic				Cijev F/F (ženska-ženska)x1,2 mm classic Rauchrohr F/Fx1,2 mm classic Flue pipe F/Fx1,2 mm classic						
$\emptyset$ [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.	for classic pass M side for estetic pass F side 			$\emptyset$ [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.		
	80	CEP24-080					480	80	CEP21-080	280
	100	CEP24-100					480	100	CEP21-100	280
										
Cijev M/M (muška-muška)x1,2 mm classic Rauchrohr M/Mx1,2 mm classic Flue pipe M/Mx1,2 mm classic				Kondenzacijski poklopac 1,2 mm classic/estetic Kondenskapsel 1,2 mm classic/estetic Condensate cover 1,2 mm classic/estetic						
	$\emptyset$ [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.	$\emptyset$ [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.				
	80	CEP22-080	280		80	CEP37-080	500			
	100	CEP22-100	280		100	CEP37-100	500			
										
Kondenz. poklopac 1,2 s ispustom classic/estetic Kondenskapsel 1,2 m. Ausgang classic/estetic Condensate cover 1,2 with outlet classic/estetic				Kond. poklopac 1,2 s mesing ispustom classic/estetic Kondenskapsel 1,2 m. mesing Ausg. classic/estetic Condensate cover 1,2 with mesing out. classic/estetic						
	$\emptyset$ [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.	$\emptyset$ [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.				
	80	CEP18-080	500		80	CEP19-080	480			
	100	CEP18-100	500		100	CEP19-100	480			
										


T400 N1 D Vm L01120 G375 NM / T400 N1 D Vm L01120 O300 M / T200 P1 D Vm L01120 O20 M

Color email

Stropna rozeta clasic/estetic  
Decken Rosette clasic/estetic  
Ceiling rose cap clasic/estetic




Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP25-080	97
100	CEP25-100	97



s brtvom, vijcima i tiplama  
mit dichtung und schraube set  
with gasket and screw set

Podesivi oslonac cijevi 1,2 clasic/estetic  
Verstellbar Rohr Stütze 1,2 clasic/estetic  
Base support 1,2 clasic/estetic



Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP26-080	105
100	CEP26-100	72

S-dimovodna cijev 1,2 mm clasic  
S-Rauchrohr 1,2 mm clasic  
S-flue pipe 1,2 mm clasic

Toplinska zaštita za cijev clasic/estetic  
Strahlenschutz für Rauchrohr clasic/estetic  
Heat shield for flue pipe clasic/estetic



Ø [mm]	A	Broj artikla Art.Nr. Code
80	165	CEP27-080
80	250	CEP27-081

Prikladno za udaljenost  
od zapaljivih građevnih  
materijala do 120mm

Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP28-080	105
100	CEP28-100	105

Geeignet für Abstand zu  
brennbaren Baustoffen  
bis zu 120 mm

Suitable for distance from  
flammable building  
materials up to 120mm



Toplinska zaštita za koljeno 90° trod. clasic/estetic  
Strahlenschutz für Bogen 90° 3-teilig clasic/estetic  
Heat shield for elbow 90° 3-part clasic/estetic


Topl. zašt. bočna za koljeno 90° trod. clasic/estetic  
Strahlenschutz seitl. für Bogen 90° 3-t. clasic/estetic  
Heat shield sidew. for elbow 90° 3-p. clasic/estetic

Prikladno za udaljenost  
od zapaljivih građevnih  
materijala do 120mm

Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP29-080	85
100	CEP29-100	85

Geeignet für Abstand zu  
brennbaren Baustoffen  
bis zu 120 mm

Suitable for distance from  
flammable building  
materials up  
to 120mm




Prikladno za udaljenost  
od zapaljivih građevnih  
materijala do 120mm

Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP30-080	85
100	CEP30-100	85

Geeignet für Abstand zu  
brennbaren Baustoffen  
bis zu 120 mm

Suitable for distance from  
flammable building  
materials up  
to 120mm





Teleskop cijev 330x1,2 mm clasic  
 Teleskoprohr 330x1,2 mm clasic  
 Telescope pipe 330x1,2 mm clasic

Set objumice 1,2 mm clasic/estetic  
 Rohrschellen Set 1,2 mm clasic/estetic  
 Embracer Set 1,2 mm clasic/estetic

Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP31-080	175
100	CEP31-100	120

Embracer +  
 2xScrew M8x100  
 1x Screw M8x50/  
 Screw for wood 50mm  
 2x Nut M8x20

Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP20-080	480
100	CEP20-100	480




Objumica +  
 2x navojna šipka M8x100  
 1x Hangar vijak M8x100  
 (M8x50+50 mm za drvo)  
 2x matica M8x20


Rohrschelle +  
 2xGewindestange M8x100  
 1x Gewindestange M8x50  
 /Holzschraube 50mm  
 2x Gewindmuffe M8x20

S-koljeno 20x1,2 mm clasic  
 S-Bogen 20x1,2 mm clasic  
 S-Elbow 20x1,2 mm clasic

S-koljeno 40x1,2 mm clasic  
 S-Bogen 40x1,2 mm clasic  
 S-Elbow 40x1,2 mm clasic




Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP33-080	162
100	CEP33-100	162




Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP34-080	162
100	CEP34-100	162

S-koljeno 60x1,2 mm clasic  
 S-Bogen 60x1,2 mm clasic  
 S-Elbow 60x1,2 mm clasic

S-koljeno 80x1,2 mm clasic  
 S-Bogen 80x1,2 mm clasic  
 S-Elbow 80x1,2 mm clasic



Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP35-080	162
100	CEP35-100	




Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP36-080	175
100	CEP36-100	120

T400 N1 D Vm L01120 G375 NM / T400 N1 D Vm L01120 O300 M / T200 P1 D Vm L01120 O20 M



Color email

Poklopac komplet za otvor dimovoda clasic/estetic  
 Kappe-Set für Rauchrohr Tür 1,2 mm clasic/estetic  
 Cover plate Set 1,2 mm clasic/estetic

Cijevna zaštita dvostruka clasic/estetic  
 Mauermuffe doppelt clasic/estetic  
 Wall socket double clasic/estetic




Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP23-080	480
100	CEP23-100	480



Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP12-080	280
100	CEP12-100	280


clasic pass both side  
 estetic pass only F side

Rozeta clasic/estetic  
 Rosette clasic/estetic  
 Rose cap clasic/estetic



Ø [mm]	Broj artikla Art.Nr. Code
80	CEP11-080
100	CEP11-100


Cijev duljine 1000x1,2 estetic  
Rauchrohr 1000x1,2 estetic  
Pipe 1000x1,2 estetic



Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP40-080	80
100	CEP40-100	80

Supplied with black silicone seal T200. On request T250 supplied green Viton seal.


Cijev duljine 500x1,2 estetic  
Rauchrohr 500x1,2 estetic  
Pipe 500x1,2 estetic



Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP41-080	170
100	CEP41-100	170

Supplied with black silicone seal T200. On request T250 supplied green Viton seal.


Cijev duljine 250x1,2 estetic  
Rauchrohr 250x1,2 estetic  
Pipe 250x1,2 estetic



Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP42-080	360
100	CEP42-100	360

Supplied with black silicone seal T200. On request T250 supplied green Viton seal.


Cijev duljine 150x1,2 F/F estetic  
Rauchrohr 150x1,2 F/F estetic  
Pipe 150x1,2 F/F estetic



Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP43-080	440
100	CEP43-100	440

Supplied with black silicone seal T200. On request T250 supplied green Viton seal.


Cijev duljine 150x1,2 M/M estetic  
Rauchrohr 150x1,2 M/M estetic  
Pipe 150x1,2 M/M estetic



Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP44-080	440
100	CEP44-100	440

Supplied with black silicone seal T200. On request T250 supplied green Viton seal.

Adapter 1,2 clasic/estetic  
Adapter 1,2 clasic/estetic  
Adapter 1,2 clasic/estetic



Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP45-080	440
100	CEP45-100	440


Supplied with black silicone seal T200. On request T250 supplied green Viton seal.

T400 N1 D Vm L01120 G375 NM / T400 N1 D Vm L01120 O300 M / T200 P1 D Vm L01120 O20 M

Color emajl




Koljeno 90°x1,2 trodijelno estetic  
Rauchrohrbogen 90°x1,2 3-teilig estetic  
Elbow 90°x1,2 3-part estetic



Supplied with black silicone seal T200. On request T250 supplied green Viton seal.

Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP46-080	180
100	CEP46-100	180


Koljeno 90°x1,2 trodijelno s otvorom estetic  
Rauchrohrbogen 90°x1,2 3-teilig m.T. estetic  
Elbow 90°x1,2 3-part with door estetic



Supplied with black silicone seal T200. On request T250 supplied green Viton seal.

Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP47-080	180
100	CEP47-100	180


Koljeno 45°x1,2 estetic  
Rauchrohrbogen 45°x1,2 estetic  
Elbow 45°x1,2 estetic



Supplied with black silicone seal T200. On request T250 supplied green Viton seal.

Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP48-080	180
100	CEP48-100	180


T-Komad 1,2 s poklopcem estetic  
T-Stück 1,2 mit Deckel estetic  
T-Piece 1,2 with cover estetic



Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP49-080	180
100	CEP49-100	180

Supplied with black silicone seal T200. On request T250 supplied green Viton seal.


T-Komad F/Fx1,2 s poklopcem estetic  
T-Stück F/Fx1,2 mit Deckel estetic  
T-Piece F/Fx1,2 with cover estetic



Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP50-080	180
100	CEP50-100	180


Supplied with black silicone seal T200. On request T250 supplied green Viton seal.

T-Komad 1,2 s eliptičnim poklopcem estetic  
T-Stück 1,2 mit eliptisch Deckel estetic  
T-Piece 1,2 with elliptic cover estetic



Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP51-080	180
100	CEP51-100	180


Teleskop cijev 330x1,2 estetic  
Teleskop Rauchrohr 330x1,2 estetic  
Telescope Pipe 330x1,2 estetic



Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP52-080	270
100	CEP52-100	270


Supplied with black silicone seal T200. On request T250 supplied green Viton seal.

Rozeta s nastavkom 1,2 estetic  
Rosette mit Mauermuffe 1,2 estetic  
Rose cap with wall socket 1,2 estetic



Ø [mm]	Art.Nr. Code	stück/pal. pcs./pal.
80	CEP53-080	528
100	CEP53-100	528


Koljeno 90°x1,2 dvodijelno s otvorom estetic  
Rauchrohrbogen 90°x1,2 2-teilig m.T. estetic  
Elbow 90°x1,2 2-part with door estetic



Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP54-080	180
100	CEP54-100	180

Supplied with black silicone seal T200. On request T250 supplied green Viton seal.


Koljeno 90°x1,2 dvodijelno estetic  
Rauchrohrbogen 90°x1,2 2-teilig estetic  
Elbow 90°x1,2 2-part estetic



Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP55-080	180
100	CEP55-100	180

Supplied with black silicone seal T200. On request T250 supplied green Viton seal.

Cijev duljine 1500x1,2 estetic  
Rauchrohr 1500x1,2 estetic  
Pipe 1500x1,2 estetic



Ø [mm]	Broj artikla Art.Nr. Code	kom./pal. stück/pal. pcs./pal.
80	CEP56-080	54
100	CEP56-100	54



Supplied with black silicone seal T200. On request T250 supplied green Viton seal.

T400 N1 D Vm L01120 G375 NM / T400 N1 D Vm L01120 O300 M / T200 P1 D Vm L01120 O20 M

Color emajl

Brtve za pellet dimovode  
Seals for pellet smoke pipes  
Joint d'étanchéité pour conduits granulés  
Dichtungen für Pellet Rauchrohre





Broj artikla Code Réf Art.Nr.	DN [mm]	T <sub>max.</sub> [°C]	Boja/ Color/ Couleur/ Farbe	H [mm]	Primjena Application Application Anwendung
CEK12-080	80	200	crna/black/nero/schwarz	12	Clasic Ø80 / Estetic Ø100
CEK12-081	80	250	zelena/green/vert/grün	12	Clasic Ø80 / Estetic Ø100
CEK12-100	100	200	crna/black/nero/schwarz	12	Clasic Ø100
CEK12-101	100	250	zelena/green/vert/grün	12	Clasic Ø100 / Colflex DW DN120
CEK12-082	55	200	crna/black/nero/schwarz	11	Estetic Ø80
CEK12-083	60	250	zelena/green/vert/grün	9,2	Estetic Ø80
CEK12-125	125	250	zelena/green/vert/grün	12	Colflex DW DN 150
CEK12-150	150	250	zelena/green/vert/grün	12	Colflex DW DN180, DN200



EN 14241-1

Adapter 1,2 estetic

A		B		C		D	
		CEP57-003	Ø80M/Ø125F	CEP57-002	Ø80M/Ø100F	CEP57-001	Ø80F/Ø100M
		CEP57-004	Ø80M/Ø150F				



T600 N1 D Vm L01120 G375 NM / T400 N1 D Vm L01120 O300 M / T200 P1 D Vm L01120 O20 M

Color emajl